

2019 Dakota Xpress Sale February 15th, 2019

2019 Dakota Xpress Sale February 15th, 2019												
Sale time 1:00 pm cst												
Lot #	Tattoo	ADG test 102 days	Scrotal 365 adj.	365 YW adj. wt.	IMF	IMF Ratio	REA	REA Ratio	MB EPD	REA EPD	API	TI
2	F466	4.3	35.9	1425	1.72	100	14.9	106	-0.2	0.98	113.7	65.9
3	F508	3.9	38.2	1385	1.19	69	13.8	98	-0.09	0.87	115.9	69.9
4	F512	4.8	40.7	1503	2.06	120	15.5	110	-0.06	0.94	125.3	71.9
5	F513	3.1	37.2	1280	1.84	107	14.3	101	0	0.88	124	73
6	F543	4.3	34.4	1385	2	116	14.9	105	-0.15	0.94	112.9	66.5
7	F550	3.9	38	1338	1.96	114	15.5	110	-0.07	0.9	112.8	68.7
8	F578	3.5	34.1	1246	1.83	106	13.1	93	-0.15	0.85	115.5	67.4
9	F593	3.9	39.3	1426	1.73	101	14.8	105	-0.08	0.96	115.6	69.8
10	F597	3.7	36.3	1210	1.17	68	13.1	93	-0.04	1.01	115.1	69.3
11	F600	3.8	34.4	1336	1.24	72	14.6	103	-0.16	0.91	105.2	65.9
12	F625	4.0	42.6	1395	1.8	105	13.8	98	0.06	0.96	130	76.2
13	F649	4.0	35.4	1332	1.66	97	14.1	100	-0.15	0.9	111.2	65.4
14	F662	4.1	36.6	1311	1.82	106	13.9	99	-0.07	0.79	110.3	65.6
15	F669	4.1	37.1	1374	1.45	84	13.6	96	-0.15	0.88	110.6	66.8
16	F710	4.0	34.5	1411	1.45	84	16	113	-0.13	0.87	111.2	64.9
17	F226	4.2	39	1501	2.06	92	15.2	103	-0.1	0.81	109.8	68.7
18	F139	3.6	39	1298	2.43	108	15.7	106	0.11	0.92	136.7	76.6
19	F161	4.1	40	1529	2.17	96	15.6	105	0.08	0.75	125.9	75.9
20	F169	3.2	38.5	1329	3.11	138	14.2	96	0.07	0.77	125.3	75.3
21	F202	3.1	40	1338	2.3	102	14.8	100	0.13	0.87	132.6	78.5
22	F215	3.4	40	1146	2	89	16	108	0.02	0.72	127.2	69.1
23	F237	2.9	37	1198	2.59	115	13.1	89	0.08	0.68	122.3	71.4
24	F287	3.5	34.5	1308	1.62	72	14.7	99	-0.06	0.79	112.1	64.8
25	F329	3.0	37	1284	2.47	110	13.1	88	-0.01	0.89	118.2	73.3
26	F332	4.8	38	1504	2.6	116	13.4	90	0.02	0.73	126.5	69.2
27	F223	3.6	37.5	1365	1.48	66	15.8	107	0.08	0.94	119.8	71
28	F412	4.0	37.1	1187	1.36	79	13.6	96	-0.22	0.71	118.5	63.6
29	F170	3.6	34	1353	2.44	108	15.1	102	-0.13	0.9	130.5	75.1
30	F443	4.6	41.6	1487	1.64	95	14.2	101	-0.2	0.96	123	74.5
31	F171	3.7	36	1348	2.72	121	13.5	91	-0.2	0.81	124	67.5
32	F460	3.9	37.9	1340	1.76	102	13.5	96	-0.22	0.95	118.8	69.7
33	F631	3.9	41.6	1357	1.68	98	14.6	103	-0.08	0.95	125	72.3
34	F115	3.7	36	1340	2.36	105	17.4	117	0.09	0.86	142.8	78.1
35	F123	3.4	35.5	1264	2.49	111	13.4	91	0.06	0.79	138.3	74
36	F472	3.5	33	1162	1.84	107	13	92	-0.18	0.86	116.9	62.7
37	F502	4.3	37.7	1202	2.4	100	13.5	100	-0.01	1.01	129.8	73.6
38	F503	3.3	39.7	1289	2.06	100	13.2	100	-0.01	1.01	129.8	73.6
39	F504	2.8	37.7	1144	1.87	109	12	85	-0.14	0.89	113.8	65
40	F544	4.4	40.9	1368	1.96	114	15.2	107	-0.11	0.98	118.8	69.4
41	F567	3.0	38	1217	1.31	76	14.7	104	-0.13	0.92	122.2	64.7
42	F586	3.4	37.6	1242	2.26	131	15.8	112	-0.16	0.72	114.9	64.2

		ADG test	Scrotal	365 YW	IMF	IMF	REA	REA	MB EPD	REA EPD	API	TI
Lot #	Tattoo	102 days	365 adj.	adj. wt.		Ratio		Ratio				
43	F588	3.9	41.3	1390	1.92	112	14.8	105	-0.17	0.88	111.8	69.7
44	F635	3.5	37.7	1277	1.54	90	14.2	100	-0.21	0.88	112.8	66.1
45	F640	3.8	41.2	1268	1.89	110	15.9	113	-0.14	1.04	112.1	67.6
46	F674	4.6	41.2	1368	1.38	80	14	99	-0.13	1.01	108.1	71.4
47	F689	3.8	40.5	1297	1.41	82	15.3	109	-0.08	0.93	120.6	66.3
48	F702	3.2	36.3	1326	1.58	92	15.7	111	-0.12	1.03	116.1	68.4
49	F487	3.0	40.1	1158	1.11	65	13.6	96	-0.32	1.05	112.2	63
50	F518	3.7	36.7	1364	1.98	115	15.2	108	-0.19	0.9	114.9	65.9
51	F318	3.8	36.5	1476	2.78	124	15.1	102	-0.09	0.76	121.9	70.3
52	F331	3.7	41	1397	3.06	136	15	101	-0.09	0.75	115.2	66
53	F178	2.3	35.5	1083	2.14	95	12.4	84	-0.06	0.85	119.1	70.9
54	F240	3.4	35.5	1301	2.52	112	15.1	102	0.19	0.81	139.9	78.5
55	F438	4.1	37.5	1287	1.4	81	12.7	90	-0.08	0.66	117	65.7
56	F501	3.5	40.2	1186	2	116	12.5	88	-0.11	0.5	110.1	59.6
57	F216	3.2	37	1330	2.24	100	14.4	97	-0.07	0.8	98.5	68.8
58	F255	out of sale										
59	F261	3.0	40	1247	1.77	79	14.4	97	-0.09	0.86	115.9	72
60	F289	3.7	33	1350	2.03	90	15.2	102	-0.06	0.81	122.3	71
61	F290	3.9	39	1429	2.08	92	14	94	-0.09	0.9	115.7	72
62	F299	4.4	37.5	1478	2.34	104	17.1	115	-0.1	0.84	102.1	64.4
63	F321	3.6	38.5	1447	2.52	112	15	102	0.16	0.81	128.1	82.6
64	F463	3.9	41.4	1270	1.49	87	15	106	-0.05	0.52	111.6	65.3
65	F303	3.1	37	1248	1.67	74	15.1	102	0.07	0.7	118.2	67.3
66	F284	3.5	36.5	1415	2.36	105	14.2	96	0.1	0.82	123.2	75.6
67	F483	3.3	41.1	1214	2.24	130	15.3	108	0.26	0.58	138.1	72.5
68	F485	4.1	41.1	1383	1.5	87	14.1	100	0.27	0.68	137.4	76.6
69	F498	3.4	40.2	1404	2.38	138	14.5	103	0.46	0.67	148.1	83.7
70	F520	3.5	38.3	1299	1.65	96	15.1	107	0.15	0.45	126.4	75.9
71	F180	3.4	36	1336	1.86	83	16.7	113	-0.03	0.98	120.8	70.4
72	F196	3.8	39	1346	1.89	84	16.8	113	0	0.81	122.2	69.2
73	F231	3.4	39	1375	2.42	108	15.7	106	-0.11	0.9	110	69
74	F244	2.7	36	1274	1.42	63	15.7	106	-0.17	0.93	107	66.6
75	F275	4.1	40	1443	2.06	92	14.4	97	-0.07	0.84	114.8	68.8
76	F325	3.5	36.5	1358	2.07	92	13.9	94	-0.11	0.95	108.7	68.3
77	F337	3.8	37	1416	2.25	100	15.2	103	-0.03	0.99	111.1	70
78	F229	2.8	37	1218	1.66	74	15.3	103	-0.01	1.14	115.1	72
79	F545	4.2	40.9	1421	1.2	70	14.5	102	-0.15	1	115.8	62.9
80	F574	3.4	40.9	1267	1.4	81	15.6	110	-0.18	1.08	111	63.2
81	F616	3.7	39.5	1236	1.13	66	13.8	97	0.01	0.82	107.2	63.2
82	F151	3.4	41	1309	2.67	119	14.7	99	0.05	0.76	129.9	75.8
83	F183	3.0	35.5	1194	2.26	100	15.4	104	0.04	0.96	126.5	75.2
84	F246	3.2	38.5	1295	2.76	123	15.8	106	0.01	1	124	77.2
85	F271	3.9	38.5	1369	1.94	86	15.5	105	0.07	0.73	128.8	71.3
86	F280	2.6	36.5	1220	1.62	72	14.7	100	-0.01	0.95	123.8	72.8
87	F439	4.0	37	1353	2	116	13.7	97	-0.07	1.02	122.3	73.9

		ADG test	Scrotal	365 YW	IMF	IMF	REA	REA	MB EPD	REA EPD	API	TI
Lot #	Tattoo	102 days	365 adj.	adj. wt.		Ratio		Ratio				
88	F154	3.9	35	1378	2.12	94	15.1	102	0.08	0.93	139.3	80.2
89	F500	4.2	38.2	1312	1.49	87	12.7	90	-0.05	0.9	119.3	69.6
90	F554	4.0	35	1250	1.62	94	13.9	98	-0.06	0.83	122.3	64.7
91	F601	3.4	33.4	1234	1.13	66	13	92	0	0.9	130.5	75.1
92	F517	4.2	36.2	1373	1.77	103	15.4	109	-0.01	0.98	124.8	69.1
93	F538	3.4	37.4	1217	1.79	104	14	99	0.18	0.84	135.3	74.5
94	F142	3.1	36.5	1251	2.31	103	14.5	98	-0.06	1.21	124.2	73.2
95	F78	3.6	38.5	1334	2.58	100	15.3	100	0	0.89	122.5	66.1
96	F401	3.5	39	1405	2.23	95	15.1	107	0	0.63	137.9	74.6
97	F172	3.4	37	1302	2.38	106	13.9	94	0.24	0.69	131.5	75.4
98	F313	3.7	40	1333	2.49	100	16	100	0.21	0.58	127.8	74.5
99	F392	3.9	37	1329	1.9	84	15.2	103	0.11	0.68	118.2	71
100	F459	3.4	38.9	1255	0.93	54	14.1	100	0.02	0.83	106.5	67.5
101	F470	3.4	41	1283	1.46	85	14.1	100	0.09	0.74	107.9	65.8
102	F569	3.3	40.5	1302	2.04	119	13.3	94	0.03	0.86	114.7	68.3
103	F621	3.4	39.1	1234	1.8	105	13.5	95	0	0.78	103.8	61
104	F540	4.5	35.9	1463	1.48	86	15.6	110	0.02	0.88	109.2	65.3
105	F590	3.2	43.3	1421	1.28	74	16.2	115	0.02	0.6	111.6	67.6
106	F286	out of sale										
107	F441	4.0	36.6	1284	2.79	162	12.8	91	0.03	0.75	114.7	67.5
108	F102	3.3	40	1370	2.46	105	13.2	93	0.21	0.64	119.7	82.2
109	F109	3.3	37.5	1334	2.46	109	14.9	101	0.35	0.59	153.7	83.6
110	F146	3.7	35	1326	3.16	140	13.6	92	0.27	0.81	143	79.5
111	F405	3.3	37.9	1121	2.55	148	13.2	94	0.15	0.81	134.2	70.4
112	F408	3.9	40.1	1238	1.78	100	14.6	100	0.11	0.96	128.7	74.9
113	F409	3.1	38.1	1171	2.07	100	13.9	100	0.11	0.96	128.7	74.9
114	F419	4.4	33.7	1363	2.4	140	15	106	0.08	1.04	127.1	72.5
115	F420	4.3	39.7	1256	2.54	148	14.9	106	0.22	0.86	134.9	72.8
116	F425	4.4	39.8	1408	1.96	114	14.8	105	0.22	0.79	138	75.9
117	F445	4.0	40.6	1255	1.01	59	12.5	89	0.18	0.74	133.2	72
118	F400	2.5	35	1238	1.78	79	14.2	96	0.04	0.81	143.4	77.7
119	F116	3.4	39.5	1343	2.13	95	15	101	-0.03	0.65	109.5	68.1
120	F192	3.7	32	1288	1.88	84	15	102	0.09	0.89	111.2	64.5
121	F272	3.1	36.5	1225	1.09	48	14.4	97	-0.05	0.96	104.5	61
122	F135	3.8	37.5	1351	3.1	138	13.8	93	0.07	0.98	126.1	73
123	F114	3.5	34	1341	2.56	114	14.9	100	0.05	0.93	122.2	72.2
124	F208	3.6	37.5	1304	1.89	84	14.1	95	0.09	0.64	115.8	65.3
125	F111	4.6	36	1441	2.22	99	14.1	95	0.34	0.49	152.9	79.2
126	F421	3.9	37.2	1281	1.92	112	12.3	87	0.19	0.9	130.6	75.6
127	F121	3.3	41	1299	2.06	92	14.9	101	0.08	0.59	123.7	70.7
128	F136	3.6	37.5	1322	1.67	74	16.1	108	0.13	0.68	127.1	71.1
129	F253	3.0	39	1224	2.78	124	13.1	88	0.1	0.55	116.7	68.4
130	F436	4.3	37.9	1254	2.26	131	12.5	88	0.26	0.52	133.6	71.4
131	F461	3.0	38.4	1159	1.3	76	13	92	0.27	0.65	122.6	69.7
132	F511	4.2	38.7	1437	1.96	114	16.1	114	0.17	0.68	120.9	68.7

